

**INPUT CHARACTERISTICS:****P2M-6550P/6600P**

- VOLTAGE: 90 ~ 264 VAC FULL RANGE
- FREQUENCY : 47 ~ 63 HZ
- INPUT CURRENT: 9.0/10.0 A ( RMS ) FOR 115VAC  
4.0/5 A ( RMS ) FOR 230VAC
- INRUSH CURRENT: 65A MAX. FOR 115 VAC  
125A MAX. FOR 230 VAC


**OUTPUT CHARACTERISTICS:**

OUTPUT VOLTAGE	OUTPUT CURRENT(A)			REGULATION		OUTPUT RIPPLE & NOISE MAX. [P-P]
	MIN.	MAX.	PEAK	LOAD	LINE	
5V	2.5	35		± 5%	± 1%	60mV
12V	1.0	32		± 5%	± 1%	100mV
-5V	0	0.8		± 5%	± 1%	100mV
-12V	0	1.0		± 5%	± 1%	100mV
3.3V	1.0	30		± 5%	± 1%	60mV
+5VSB	0	2		± 5%	± 1%	60mV


REMARKS:; TOTAL OUTPUT POWER NOT EXCEED **550/600** WATTS**SPECIFICATION:**

- TEMPERATURE RANGE: OPERATING 0 --- 40
- HOLD UP TIME: 16 ms MINIMUM AT FULL LOAD & NORMAL INPUT VOLTAGE
- DIELECTRIC WITHSTAND: INPUT / OUTPUT 1800 VAC FOR 1 SECOND  
INPUT TO FRAME GROUND 1800 VAC FOR 1 SECOND
- EFFICIENCY: 70% TYPICAL
- POWER GOOD SIGNAL: ON DELAY 100 ms TO 500 ms, OFF DELAY 1 ms
- OVER LOAD PROTECTION: 130 +/- 20%
- OVER VOLTAGE PROTECTION:  
**+5V → 5.7V ~ 6.5V, 3.3V → 3.9 ~ 4.3V, 12V → 13.6 ~ 15.0V**
- SHORT CIRCUIT PROTECTION: +5V, -5V, +12V, -12V, +3.3V
- EMI NOISE FILTER: FCC CLASS B, CISPR22 CLASS B
- SAFETY: UL 1950, CSA 22.2 NO/ 950, TÜV IEC 950
- REMOTE ON / OFF CONTROL
- 3.3V REMOTE SENSING
- COOLING: ONE 60mm DC FANS
- DIMENSION: 270 (D) x 100 (W) x 70 (H) mm
- ACTIVE POWER FACTOR CORRECTION MEET IEC-1000-3-2 CLASS D
- OUTPUT WIRES CAN BE VARIOUS FOR DIFFERENT SYSTEMS

修訂 REVISIONS		日期 DATE
版次 REV.	記述 DESCRIPTION	



容許公差: TOLERANCES:		材料規格: MATERIAL:		品名: MODEL NO:	
.XXX ±.025		核准者: APPROVE BY:		料號: PART NO:	
.XX ±.100		日期: DATE:		圖號: DRAW NO:	
.X ±.250		日期: DATE:		檔號: FILE NO:	
投影法: PROJECTION:		日期: DATE:		規格: SPEC:	
第三角法		日期: DATE:		編號: SHEET:	
		繪圖者: DRAW BY:		單位: UNITS:	
		日期: DATE:		版次: REV. NO:	
		日期: DATE:		規格: SPEC:	
		日期: DATE:		編號: SHEET:	



新巨企業股份有限公司  
ZIPPY TECHNOLOGY CORP.  
POWER DIVISION

品名:  
MODEL NO:

P2M外觀尺寸圖

料號:  
PART NO:

圖號:  
DRAW NO:

檔號:  
FILE NO:

規格:  
SPEC:

編號:  
SHEET:

單位:  
UNITS:

版次:  
REV. NO:

日期:  
DATE:

APR-16-2002